

L Number	Hits	Search Text	DB	Time stamp
-	6633	(MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:24
-	15	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 18:27
-	7132	freeman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:55
-	11	freeman.in. AND ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:55
-	4	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) AND ((internal ADJ1 use\$1) OR internal\$1use\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:58
-	224	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((duplicat\$5 OR copy\$3 OR mirror\$3 OR replica\$6) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 18:03
-	117	((intra ADJ1 switch\$3) OR intra\$1switch\$3 OR ISR) NEAR3 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 19:05
-	32989	(address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:29
-	28226	(private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:02
-	5888	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) AND ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:21
-	2028	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:21
-	772	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:22
-	18158	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:25

-	79077	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR switch\$3 OR intra\$1switch\$3) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:28
-	38332	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:19
-	395	((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:19
-	2402	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:29
-	1105	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:32
-	537	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 WITH filter\$3) OR bridg\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:23
-	286	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) WITH (filter\$3 OR bridg\$3 OR captur\$3 OR learn\$3)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:58
-	318	((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) SAME ((conserv\$6 OR preserv\$6 OR sav\$3) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:12

-	243	((conserv\$6 OR preserv\$6) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:13
-	511	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((unique\$3 OR exclusive\$4) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:25
-	812	((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:04
-	293	((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:05
-	1184	((re\$1use\$1 OR re\$1using OR recycl\$3) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:05
-	342	((re\$1use\$1 OR re\$1using OR recycl\$3) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:06
-	✓ 6	(US-6381638-\$ or US-6256314-\$ or US-5790541-\$ or US-6101552-\$ or US-6128298-\$ or US-5926626-\$).did.	USPAT	2004/07/07 13:17
-	253	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 conserv\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:14
-	✓ 24	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) WITH (intra\$1switch\$3 OR (intra ADJ1 switch\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:37
-	13368	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:38
-	1594	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) AND (709/\$6.ccls. OR 370/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:38
-	1993	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) SAME (switch\$3 OR fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:39
-	1083	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) WITH (switch\$3 OR fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:39
-	✓ 90	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:30

-	469	(organizational\$3 ADJ1 unique\$3 ADJ1 identif\$4) OR OUI\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:47
-	✓ 65	((organizational\$3 ADJ1 unique\$3 ADJ1 identif\$4) OR OUI\$2) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:12
-	511	(fram\$3 ADJ1 forward\$3) WITH (port\$1 OR interface\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:54
-	✓ 221	((fram\$3 ADJ1 forward\$3) WITH (port\$1 OR interface\$1)) SAME address\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 13:55
-	✓ 101	((media ADJ1 access ADJ1 control\$1) OR MAC OR (layer\$1 ADJ1 ("2" OR two))) NEAR3 (loop\$4back\$3 OR (loop\$ ADJ1 back\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:16
-	14821	((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 08:05
-	658	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:08
-	* ✓ 418	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 08:13
-	✓ 15	("5394402" "5740171" "5796732" "5852607" "5872783" "5917820" "6035105" "6128296" "6147993" "6175571" "6208649" "6219699" "6310882" "6430188" "6553000").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:31
-	1643	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH bus\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:09
-	2043	((media ADJ1 access ADJ1 control\$1) OR MAC OR (layer ADJ1 (two OR "2"))) NEAR3 (local\$4 OR internal\$4 OR privat\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:24
-	856	((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR3 (local\$4 OR internal\$4 OR privat\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:12
-	549	((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR2 (local\$4 OR internal\$4 OR privat\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:12
-	✓ 193	(((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR2 (local\$4 OR internal\$4 OR privat\$4)) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:00

-	✓ 543	((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 (local\$4 OR internal\$4 OR privat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 08:13
-	586	internal ADJ2 header\$1	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:10
-	✓ 187	((internal ADJ2 header\$1) AND (370/\$6.ccls. OR 709/\$6.ccls.))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:31
-	2178	header\$1 SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:30
-	578	header\$1 SAME address\$3 SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:31
-	419	((header\$1 WITH address\$3) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 08:12
-	✓ 349	((header\$1 WITH address\$3) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 08:12
-	✓ 3	("5953335" "6021132" "6453360").PN.	USPÄT	2004/07/07 17:38
-	1178	709/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:57
-	✓ 51	709/245.ccls. AND (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 17:59
-	✓ 225	709/245.ccls. AND ((media ADJ1 access ADJ1 control\$1) OR MAC)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 18:05
-	✓ 77	709/245.ccls. AND (internal\$3 NEAR2 (MAC OR address\$3))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 18:06
-	✓ 113	709/245.ccls. AND (privat\$4 NEAR2 address\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 18:07
-	3582	((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 09:58
-	1378	((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1))) AND 370/\$6.ccls.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/08 08:06

-		1200	((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1)) AND (((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 08:09
-	✓	638	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1)) AND (((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 08:09
-		1315	((media ADJ1 access ADJ1 control\$1) OR MAC) SAME manufactur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:25
-	✓	714	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH manufactur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:00
-	✓	201	((media ADJ1 access ADJ1 control\$1) OR MAC) WITH manufactur\$5) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:08
-	✓	223	((media ADJ1 access ADJ1 control\$1) OR MAC) AND (manufactur\$5 NEAR3 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:26